

QUALITY, RELIABILTY, STRENGTH THE PROFESSIONALS CHOICE



DISTRIBUTED EXCLUSIVELY BY:



QLD / NT

Auto Parts (Aust.) Pty Ltd 1A/836 Boundary Road, Coopers Plains QLD 4108

Tel: 1300 306 781 Fax: 1300 306 784 NSW / VIC / TAS

Auto Parts (Aust.) Pty Ltd 9 Melissa Place, Kings Park NSW 2148

Tel: 1300 306 781 Fax: 1300 306 784 Email: sales@hpplunds.com.c FOR MORE PRODUCT INFORMATION GO TO: WWW.ROCKTOOLS.NET.AU







## BJ1850-BJ20000

#### **BOTTLE JACKS**

Safe Working	g Raised	Lowered	Part No.
Load	Height	Height	
1850kg	320mm	195mm	BJ1850
4000kg	325mm	200mm	BJ4000
6000kg	413mm	216mm	BJ6000
8000kg	400mm	240mm	BJ8000
12000kg	405mm	245mm	BJ12000
20000kg	460mm	280mm	BJ20000
	n Australian S	tandards AS/N	

# SBJ12000 / SBJ20000

# MATERIAL STATE OF THE PARTY OF

#### **SQUAT BOTTLE JACKS**

Safe Working Load	Raised Height	Lowered Height	Part No.
12000kg 20000kg	361mm 376mm	191mm 191mm	SBJ12000 SBJ20000
Complies with A	Australian Star	ndards AS/NZS	2693:1993

# TJ1300 / TJ1800





Safe Working Load	Raised Height	Lowered Height	Part No.
1300kg	350mm	130mm	TJ1300
1800kg	380mm	135mm	TJ1800
Complies with	Australian	Standards AS/NZS	2615:2004

## **TJ2000**

#### **GARAGE TROLLEY JACK**

2000kg Safe Working Load, Raised Height 490mm, Lowered Height 145mm, Complies with Australian Standards AS/NZS 2615:2004 TJ2000

## RTO\$

#### **OIL SUCTION GUN**

Oil Suction Gun 500cc Strong suction handles up to 500ml per stroke RTOS



## RTGGFN

#### FLEXIBLE NOZZLE

Grease Gun Flexible Nozzle Suits most grease guns with coupler RTGGFN



## RTGGC

## COUPLER

Grease Gun Coupler Suits most grease guns Adjustable RTGGC









## RTGG120

#### **GREASE GUN**

Grease Gun 120cc Triple Loading System Pressure Fill, Bulk 120cc or 85gm Cartridge RTGG120



Pistol Grip Grease Gun 120cc Triple Loading System Pressure Fill, Bulk 120cc or 85gm Cartridge RTGG120P

## RTGG300

RTGG120P

## **GREASE GUN**

Grease Gun 300cc Double Loading System Pressure Fill or Bulk 300cc RTGG300

## RTGG500

#### **GREASE GUN**

Grease Gun 500cc Triple Loading System Pressure Fill, Bulk 500cc or 450gm Cartridge RTGG500



#### **HIGH LIFT JACK**

1500kg Safe Working Load, Max Height 1.2m Complies with Australian Standards AS/NZS 2693:2003 TR8485



# J\$2000 / J\$4000 / J\$6000

#### **JACK STANDS**

2000kg Safe Working Load, 1 Pair, Complies with Australian Standards AS/NZS 2538:2004 JS2000

> 4000kg Safe Working Load 1 Pair, Complies with Australian Standards AS/NZS 2538:2004 JS4000

6000kg Safe Working Load, 1 Pair, Complies with Australian Standards AS/NZS 2538:2004 JS6000











## T52001 / TY12003

#### **HYDRAULIC PRESSES**

20000kg Capacity, Heavy Duty (D)205 x (W)750 x (H)1510 **T52001** 

All Rock Tools Hydraulic Presses Include Heavy Duty Steel Channels, Use to Remove Bearings, Bushes, Gears etc

12000kg Capacity, Heavy Duty (D)650 x (W)775 x (H)1660 **TY12003** 



#### **PARTS WASHER**

75lt (20 Gallon), 240v, Includes Stand **PW20G** 

**\$BC90** 



#### **SAND BLAST CABINET**

(L)590 x (W)490 x (H)480mm 240v Power Supply, Fluro Light & Accessories Included SBC90

TR6455

#### **GARAGE CREEPER**



Strong and Durable Frame with Six Castors and Substantial Padding with Headrest (L)1030 x (W)440 x (H)105mm TR6455

## T32002

#### **ENGINE CRANE**

1200kg Safe Working Load, Complies with Australian Standards AS1418.8-2002 T32002

#### **REPLACEMENT PARTS**

HYDRAULIC RAM Suit T32002 T32002-RAM SPARE PARTS KIT Suit T32002 T32002-SPKIT



## T24541 / T25671

#### **ENGINE STANDS**

450kg Safe Working Load, 900mm High, 4 Wheel Construction for More Stability and Easy Manoeuvrability T24541 - Pictured

> 560kg Safe Working Load, 900mm High, Swinging Tool Tray, 4 Wheel Construction for More Stability and Easy Manoeuvrability T25671



## TR9005 / TR9010

#### **CHAIN BLOCKS**

500kg Safe Working Load, 2.4m Lift Height TR9005

1000kg Safe Working Load, 2.4m Lift Height TR9010

